

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SILAN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: product intended for the silanization of porcelain. SILAN is applied to the porcelain after it has been etched, before applying the bonding system in order to increase the durability of the bond between the resin and porcelain. Product for professional use.

Uses advised against: others than listed above.

1.3 Details of the supplier of the safety data sheet

Manufacturer: **PPH CERKAMED Wojciech Pawłowski**
 Address: ul. Kwiatkowskiego 1, 37-450 Stalowa Wola, Poland
 Telephone number: +48 15 842 35 85
 E-mail address for a competent person responsible for SDS: jadwiga.maziarz@cerkamed.pl

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT 3 H336

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

2.2 Label elements

Hazard pictograms and signal words



DANGER

Substances which influenced product classification

Contains: propan-2-ol.

Hazard statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/container to properly labeled waste containers in accordance with national legislation.

2.3 Other hazards

The substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

SAFETY DATA SHEET

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

CAS number: 67-63-0 EC number: 200-661-7 Index number: 603-117-00-0 Registration number: 01-2119457558-25-XXXX	<u>propan-2-ol</u> ¹⁾ Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336	< 90 %
--	--	--------

¹⁾ Substance with workplace exposure limits.

Full text of each relevant H phrase is given in section 16 of SDS.

Section 4: First aid measures

4.1 Description of first aid measures

Skin contact: take off the contaminated clothing. Wash a contaminated skin with plenty of soap and water. Consult a doctor, if disturbing symptoms occur.

Eye contact: wash out an contaminated eye thoroughly with plenty of water for 10-15 min. Protect non-irritated eye, remove contact lenses. Consult an ophthalmologist, if disturbing symptoms occur.

Ingestion: do not induce vomiting. Rinse mouth with water. Never give anything to drink to an unconscious person. Consult a doctor.

Inhalation: remove the victim to fresh air. Keep warm and calm. Consult a doctor, if disturbing symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: in case of prolonged contact possible burning, drying, cracking of the skin.

Eye contact: possible redness, tearing, burning sensation, irritation.

Ingestion: possible stomach pain, nausea, vomiting, diarrhea.

Inhalation: high concentration of vapors may cause temporary irritation of the upper respiratory tract, drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: alcohol resistant foam, water spray, water fog, dry powder, CO₂, sand.

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture

During the fire, may produce harmful fumes of carbon oxides and other hazardous thermal decomposition products. Do not inhale combustion products, may cause health risk.

5.3 Advice for firefighters

Highly flammable liquid and vapour. Product vapours may form explosive mixtures with air. Personal protection typical in case of fire. Do not stay in the fire zone without protective clothing resistant to chemicals and self-contained breathing apparatus.

SAFETY DATA SHEET

In case of fire cool endangered containers with water fog from safe distance. Collect used the extinguishing media.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that the effects of breakdown are removed only by trained personnel. In case of large spills, isolate the exposed area. Avoid eyes and skin contamination. Ensure adequate ventilation. Wear personal protective equipment. Eliminate sources of ignition, do not smoke, do not use sparking tools.

6.2 Environmental precautions

In case of a release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Large spillage isolate and pump away the collected liquid. Absorb small spillage with liquid-binding materials (e.g. sand, universal binding agent). Collect spilled material in labeled containers. Treat the collected material as a waste. Clean and ventilate the contaminated place.

6.4 Reference to other sections

Personal protective equipment – see section 8. Appropriate conduct with waste product – see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Wear personal protective equipment. Avoid eyes and skin contamination. Do not inhale vapours of the product. Do not eat, drink or smoke while working. Before break and after work wash hands carefully. Ensure adequate general and / or local ventilation. Eliminate all sources of ignition – do not use open flame, do not smoke, do not use sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers only in original, tightly closed containers in a dry, cool and well-ventilated place. Keep away from sources of heat, fire and ignition. Do not use sparking tools. Keep away from food, beverages or feed for animals. Keep away from incompatible materials (see subsection 10.5). After opening, seal the container and store it in an upright position to avoid leakage. Keep unused containers tightly closed.

7.3 Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Product does not contain any components with occupational exposure limit values at working place established in the European Union. Please check also any national occupational exposure limit values in your country.

Legal Basis: Commission Directive 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU.

Substance	CAS number	Workplace exposure limit				Comments
		Long-term exposure limit (8-hr TWA reference period)		Short-term exposure limit (15-minute reference period)		
		ppm	mg/m ³	ppm	mg/m ³	
Propan-2-ol	67-63-0	400	999	500	1250	—

EH40/2005 Workplace exposure limits. Fourth Edition 2020.

SAFETY DATA SHEET

Recommended control procedures

Adapt procedures concerning the control over the dangerous components concentrations in the air and over the air quality in the workplace – if they are available and justified for the position – in accordance with the European Standards taking into account the conditions within the exposure place and a proper test methodology adapted to the working conditions.

DNEL values - propan-2-ol [CAS 141-78-6]

Exposure route	Exposure scheme	DNEL (workers)
inhalation	Long-term exposure	500 mg/m ³
skin	Long-term exposure	888 mg/kg
Exposure route	Exposure scheme	DNEL (consumers)
oral	Long-term exposure	26 mg/kg
inhalation	Long-term exposure	89 mg/m ³
skin	Long-term exposure	319 mg/kg

PNEC values - propan-2-ol [CAS 141-78-6]

PNEC	Value
Fresh water	140.9 mg/dm ³
Marine water	140.9 mg/dm ³
Intermittent release	140.9 mg/dm ³
Sewage treatment plant	2251 mg/dm ³
Sediment (fresh water)	552 mg/kg
Sediment (marine water)	552 mg/kg
Soil	28 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke when using the product. Before break and after work wash hands carefully. Take off contaminated clothing and wash it before reuse. Provide effective general and/or local ventilation in the workplace. Avoid contact with skin and eyes. Do not inhale vapours. If during work processes there is a risk of clothing fire on the employee - no more than 20 m in a horizontal line from the stations where these processes are performed, emergency showers (safety showers) for washing the whole body and separate showers (showers) for eye washing should be installed.

Individual protection measures, such as personal protective equipment

The necessity to use and selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

Hand and body protection

Use protective gloves resistant to the product in accordance with EN 374. The material for gloves should be selected individually at the workplace. In case of a short contact, use protective gloves with effectiveness level 2 or higher (breakthrough time > 30 min.). In case of a prolonged contact, use protective gloves with effectiveness level 6 (breakthrough time > 480 min.). Wear protective clothing.

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

SAFETY DATA SHEET

Eye/face protection

Wear tightly sealed protective glasses in accordance with EN 166 if there is a risk of eye contamination.

Respiratory protection

Not required with adequate ventilation. In case of emergency situations use properly selected respiratory protection.

Thermal hazards

Do not occur.

Environmental exposure controls

Do not allow large amounts of the product to enter groundwater, sewage system, sewage or soil.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour	not determined
Melting point/freezing point:	-88 °C (propan-2-ol)
Boiling point or initial boiling point and boiling range:	> 35 °C
Flammability:	highly flammable liquid
Lower and upper explosion limit:	2 % vol. / 12 % vol. (propan-2-ol)
Flash point:	10 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH:	not determined
Kinematic viscosity:	not determined
Solubility:	soluble in water
Partition coefficient n-octanol/water (log value):	not determined
Vapour pressure:	6020 Pa (20 °C, propan-2-ol)
Density and/or relative density:	1.815±0.001 g/ml
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2 Other information

No additional test results.

Section 10: Stability and reactivity

10.1 Reactivity

The product is reactive. It does not undergo dangerous polymerization. Product vapours may form explosive mixtures with air. See also subsections 10.3-10.5.

10.2 Chemical stability

The product is stable under normal conditions of handling and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

10.4 Conditions to avoid

Avoid sources of heat, fire and ignition.

10.5 Incompatible materials

Strong oxidants, strong acids.

10.6 Hazardous decomposition products

Not known.

SAFETY DATA SHEET

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on acute and / or delayed effects of exposure has been determined based on information about the product classification and / or toxicological tests as well as the manufacturer's knowledge and experience.

Toxicity of the components

propan-2-ol [CAS 67-63-0]

LD₅₀ (oral, rat) > 2000 mg/kg

LD₅₀ (skin, rabbit) > 2000 mg/kg

Toxicity of the mixture

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Routes of exposure: skin contact, eye contact, inhalation, ingestion. See subsection 4.2 for more information on the effects from each possible route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

No data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Other information

Not applicable.

SAFETY DATA SHEET

Section 12: Ecological information

12.1 Toxicity

Toxicity of the components

propan-2-ol [CAS 67-63-0]

Toxicity to daphnia EC₅₀ > 100 mg/dm³/48h/ *Daphnia magna*
Toxicity for fish LC₅₀ > 100 mg/dm³/48h/ *Leuciscus idus melanotus*
Toxicity for algae EC₅₀ > 100 mg/dm³/72h/ *Scenedesmus subspicatus*

Toxicity of the mixture

Product is not classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

No data for mixture.

Data for components

propan-2-ol [CAS 67-63-0]

Biodegradation > 70 % /10 days

2.3 Bioaccumulative potential

Data for components

propan-2-ol [CAS 67-63-0]

logP_{ow} = 0.05

12.4 Mobility in soil

Mobility of components of the mixture depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5 Results of PBT and vPvB assessment

The substances contained in the product do not meet criteria for PBT or vPvB.

12.6 Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

12.7 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods for the product: disposal in accordance with the local legislation. Store residues in original containers. Waste code should be given in the place of waste formation.

Disposal methods for used packing: reuse / recycle / liquidate empty containers in accordance with the local legislation. Only completely emptied packaging can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

Section 14: Transport information

14.1 UN number or ID number

UN 1219

14.2 UN proper shipping name

ISOPROPANOL (ISOPROPYL ALCOHOL)

SAFETY DATA SHEET

14.3 Transport hazard class(es)

3

14.4 Packing group

II

14.5 Environmental hazards

Product is not classified as dangerous for the environment according to the transport regulations.

14.6 Special precautions for user

Avoid sources of ignition. Use personal protective equipment in accordance with Section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ADR Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG Code International Maritime Dangerous Goods Code.

IATA Dangerous Goods Regulations.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

Commission Regulation (EU) No 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

Regulation (EU) No 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Commission Directive 2017/164/EU of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

Commission Directive 2019/1831/EU of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

15.2 Chemical safety assessment

It is not necessary to carry out a chemical safety assessment for the mixture.

Section 16: Other information

Full text of indicated H phrases mentioned in section 3

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

SAFETY DATA SHEET

Clarification of aberrations and acronyms

Eye Irrit. 2	Serious eye irritation category 2
Flam. Liq. 2	Flammable liquid category 2
STOT SE 3	Specific target organ toxicity — single exposure category 3
TWA	Time Weighted Average
STEL	Short Term Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic substance
vPvB	very Persistent, very Bioaccumulative substance
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training. Persons related to the transportation of the dangerous goods in compliance with the ADR Agreement should be properly trained within the scope of performed tasks (general training, on-the-job training and training related to the safety issues).

Key literature references and data sources

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases, as well as our knowledge and experience, taking into account current legislation.

Procedures used to classify of the mixture

Classification was made on the basis of the manufacturer's data, physicochemical data of the mixture and content of the hazardous substances by calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

Additional information

Date of issue: 28.02.2022

Version: 1.0/EN

Safety Data Sheet made by: **THETA** Consulting Sp. z o.o. (based on manufacturer's data)

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.